



Co-Torrefied Oil Palm (Co-TOP) Pellet

Co-TOP pellet is a type of solid biofuel from blending different types of oil palm solid waste. It produce through combination of torrefaction and pelletization processes. It is used as replacement for fossil fuel and traditional charcoal.

Technological application of Co-TOP pellet including gasification, iron making, fuel in the heating sector, co-firing in pulverized coal fired power stations.



Co-TOP Pellet



Special Features

High Heat Generation

Co-TOP pellet have high energy content (19 MJ/kg) which generate massive amount of heat when combusted and it can last for long time. It is also easier to ignite as compared to traditional firewood.

Environmental Friendly

Co-TOP pellet produce low amount of ash, nitrogen and sulphur. This eventually reduce the occurrence of air pollution.

Convenient and Economical

Co-TOP pellet has strong and durable structure which ease the transport and storage process. It is also available in low cost.

CONTACT US :

+609-5492897

suriyati@ump.edu.my

University Malaysia Pahang

Research

Dr. Suriyati produces Co-TOP oil palm waste pellets as environmentally friendly and low-cost fuel

27 April 2022

PEKAN, 25 April 2022 – Looking at Malaysia as the world's leading palm oil producer, a lecturer from the Faculty of Chemical and Process Engineering Technology (FTKKP), Dr. Suriyati Saleh, 39 produced Co-TOP pellet by utilising oil palm waste as an environmentally friendly and low-cost fuel.

The research was joined by the lecturer from the College of Engineering (KK), Associate Professor Dr. Noor Asma Fazli Abdul Samad, FTKKP undergraduate students, Chang Siaw Sang and Sharwin Kumar Sambeth, and LCSB Lepar Palm Oil Mill, Gambang, Kuantan.

According to Dr. Suriyati, this research began in April 2014, upon her return from completing her Doctor of Philosophy (Ph.D.) study at Denmark Technical University (DTU).

“During the research at the Ph.D. level, I used solid waste found in European countries, such as waste from wheat trees, forestry waste, and silvergrass (*misanthus*).

“These waste materials were treated using the torrefaction process to produce fuel.

“In Malaysia, I see a large area of palm oil mills filled with oil palm waste that attracts flies, thus causing the spread of infectious diseases,” she said.

In 2014, she received a research grant under the Fundamental Research Grant Scheme (FRGS) from the Ministry of Higher Education (MoHE) to initiate this study.

In the early research stage, she carried out a treatment process known as torrefaction to obtain optimal conditions for oil palm waste to be used as fuel.

“After the first successful phase, I continued the study by adding another process of pelletisation after the torrefaction process to improve the quality of the fuel produced.

“The next study was conducted under the second FRGS grant obtained in 2019.

“Initially, one type of oil palm waste was used to produce pellets, but later I found that there was a need to use more than one oil palm waste material to be used as pellets,” she said.

She added that from that point, the Co-TOP pellet is produced using two types of oil palm waste of different physical and chemical properties to be used as fuel in the form of pellets.

“The Co-TOP pellet research officially began in January 2019 and was successfully completed on 30 June 2021.

“This research is based on the concept of waste to energy, i.e., waste from plantations or industries that can be processed and used to produce more useful materials.

“In this case, the waste from the processing of oil palm fruits such as coir, shells, bunches, leaves, and fronds is used as the main ingredient for producing pellets,” she said.

She added that most oil palm waste is disposed of as fuel for producing steam in the mill or disposed of naturally on the plantation.

“The main problem with the use of waste as a fuel is air pollution due to the release of harmful gases such as NO_x, SO₂, CO, and CO₂ as well as the energy generated from combustion is low.

“Therefore, the fuel needs to be treated to enhance its capacity to be used as an energy source.

“Co-TOP pellet is produced from a mixture of two different types of oil palm waste, namely coir and

oil palm fruit shells,” she said.

She said the oil palm waste goes through a treatment process known as torrefaction and subsequently pelletisation process to produce pellets.

“Co-TOP pellet is a renewable fuel to replace fossil fuels, coal and wood charcoal.

“Co-TOP pellet can be used in domestic appliances such as stoves and barbecue racks.

“In addition, it can be used for industrial applications such as boilers, gasifiers, and coal-fired electric power generating stations,” she said.

Co-TOP pellets are the same as wood charcoal and fire starters in the market.

The price for Co-TOP pellets is also lower than those of the other commercialised products

Co-TOP pellets are more environmentally friendly than wood charcoal and fire starters because they contain a low sulfur and nitrogen content.

According to her, the final goal of this research is to produce Co-TOP pellets on a large scale to benefit all Malaysians.

“Co-TOP pellet can reduce reliance on fossil fuels to generate electricity.

“This will ultimately reduce carbon dioxide emissions in Malaysia.

“In the future, I plan to use the different types of waste available in Malaysia such as food waste, wood, plastic, and used oil to improve the function of Co-TOP pellet,” she explained.

Dr. Suriyati added that it is hoped that Co-TOP pellet will be in the market to replace existing fuels to support the National Biomass Strategy to increase the use of biomass in the production of energy resources.

“In addition, to place Co-TOP pellet in the Malaysian market, we will strive to establish joint ventures with government agencies and private companies such as the Malaysia Palm Oil Board (MPOB) and Tenaga Nasional Berhad (TNB).

“The estimated cost for equipment including mixer, furnace, and pelletiser for Co-TOP pellet is RM100,000.00,” she said.

Earlier, Co-TOP pellet research won gold medals in the Creation, Innovation, Technology and Research Exposition (CITREx) 2020 and 2021.

The research also bagged a gold medal at the International Invention, Innovation and Technology Exhibition (ITEX) 2021, held at Kuala Lumpur Convention Centre from 13 to 14 December 2021.

By: Nur Hartini Mohd Hatta, Corporate Communication Division, The Office of The Vice-Chancellor (PNC)

Translation by: Dr. Rozaimi Abu Samah, Engineering College/Faculty of Chemical and

Process Engineering Technology

- 450 views

[View PDF](#)