




DYNAMIC MACHINE LEARNING SYSTEM FOR BEV CHARGING DEMAND PREDICTION



INVENTOR: ROSLIMAZARINAH ZAHARA
FACILITY: CENTRE FOR MATHEMATICAL SCIENCES
UNIVERSITY: UNIVERSITI MALAYSIA MALANG AL-SULTAN
ABDULLAH
EMAIL: roslimazarinah@umpsa.edu.my
CO-INVENTORS: SHAHRIZAL SALEEM, NITI ROJALINDAR YAZIZ,
 NOOR KHADIEAH AHMAD RAZI
 Copyright: 17934621027




UNIVERSITI MALAYSIA MALANG
 AL-SULTAN ABDULLAH





Product Background

- A Battery Electric Vehicle (BEV) relies on its onboard battery for propulsion. Reducing on-board charging from the electric grid due to its high carbon footprint.
- The variable and uncertain charging demand of BEVs creates substantial difficulties for the power grid by causing surges in peak power usage. Fluctuations in frequency and voltage levels, and an overall increase in average utilization that needs to be carefully managed.





Methods

- Feature engineering to capture relevant information to predict charging demand.
- Model training to learn from historical data.
- Model validation to ensure the model's performance on new data.
- Model deployment to integrate the model into the BEV charging system.

(17) Model for forecasting BEV load power demand from charging stations

Usefulness/Applicability

- Predictive maintenance
- Resource optimization
- Energy management
- Grid stability
- Environmental impact

Novelty/Inventiveness

- Machine learning
- Data science
- Forecasting
- Optimization
- Real-time monitoring

Marketability & Commercialization

- Scalability
- Integration
- Interoperability
- Security
- Reliability

Publication

- Roslimazarinah Z., Shaheizal Saleem, Niti Rojalindar Yaziz, Noor Khadiah Ahmad Razi, "A Dynamic Machine Learning System for BEV Charging Demand Prediction", *Journal of Intelligent and Fuzzy Systems*, 2023.
- Roslimazarinah Z., Shaheizal Saleem, Niti Rojalindar Yaziz, Noor Khadiah Ahmad Razi, "A Dynamic Machine Learning System for BEV Charging Demand Prediction", *Journal of Intelligent and Fuzzy Systems*, 2023.

API Services

- RESTful API
- GraphQL
- SOAP
- gRPC
- Webhooks

Achievement/Reward

- ITEX 24 Gold Award
- Best Innovation Award

Environmental Impact/SDGs


- SDG 7: Affordable and Clean Energy
- SDG 13: Climate Action
- SDG 11: Sustainable Cities and Communities

Collaboration


- Industry partners
- Academic institutions
- Government agencies




RECLAMATION



INVENTOR: ROSLIMAZARINAH ZAHARA
FACILITY: CENTRE FOR MATHEMATICAL SCIENCES
UNIVERSITY: UNIVERSITI MALAYSIA MALANG AL-SULTAN
ABDULLAH
EMAIL: roslimazarinah@umpsa.edu.my
CO-INVENTORS: SHAHRIZAL SALEEM, NITI ROJALINDAR YAZIZ,
 NOOR KHADIEAH AHMAD RAZI
 Copyright: 17934621027



UNIVERSITI MALAYSIA MALANG
 AL-SULTAN ABDULLAH



Product Background

- Pollution in cleaning, preventing air quality, water levels, etc.
- Data to monitor real-time usage, etc.
- and water temperature.
- Equipped with integrated modular underwater sensor module for off-site data logging (depth ranging 270m).

Benefit/Usefulness/Applicability

- Enhanced cleaning efficiency
- Improved navigation
- Comprehensive coverage and 24/7 cleaning
- Cost-effective data collection (temperature, pressure and depth)
- Proactive maintenance
- Reduces the need for manual labor
- Applicable to various underwater environment (seawater, brackish water, etc.)
- Contribute to environmental conservation efforts, promoting cleaner and sustainable ecosystems.

Status of Innovation

- TRL: Level 8
- Prototype

SDG Impact

- SDG 14: Life Below Water
- SDG 13: Climate Action

Publication

- Roslimazarinah Z., Shaheizal Saleem, Niti Rojalindar Yaziz, Noor Khadiah Ahmad Razi, "A Dynamic Machine Learning System for BEV Charging Demand Prediction", *Journal of Intelligent and Fuzzy Systems*, 2023.

www.umpsa.edu.my

[Research](#)

Prof. Madya Dr. Roslinazairimah hasilkan perisian ramal penggunaan elektrik bagi kereta elektrik

27 May 2024

PEKAN, 27 Mei 2024 – Umum mengetahui penggunaan kereta elektrik di Malaysia semakin mendapat perhatian terutamanya penggiat pengguna automatif Malaysia.

Namun, peningkatan penggunaan kereta elektrik turut akan menjejaskan penjanaan dan pengagihan tenaga elektrik di Malaysia kerana kapasiti bateri kereta elektrik adalah besar dan perlu disambung pula dengan sistem pembekalan tenaga elektrik untuk dicas.

Bagi meramal keperluan elektrik yang diperlukan dengan ketepatan yang tinggi menggunakan pemodelan statistik yang dihibridkan dengan model pembelajaran mesin, Pensyarah Pusat Sains Matematik (PSM) Universiti Malaysia Pahang Al-Sultan Abdullah (UMPSA), Profesor Madya Dr. Roslinazairimah Zakaria telah menghasilkan perisian meramal ini.

Penyelidikan ini telah dijalankan bersama-sama pensyarah PSM UMPSA, Dr. Siti Roslindar Yaziz, pensyarah Universiti Teknologi MARA (UiTM), Dr. Noor Fadhilah Ahmad Radi serta pelajar pascasiswazah UMPSA, Syahrizal Salleh.

DYNAMIC MACHINE LEARNING SYSTEM FOR BEV CHARGING DEMAND PREDICTION





INVENTOR: ROSLINAZAIRIMAH ZAKARIA
FACULTY: CENTRE FOR MATHEMATICAL SCIENCES
UNIVERSITY: UNIVERSITI MALAYSIA PAHANG AL-SULTAN ABDULLAH
EMAIL: roslinazairimah@umpsa.edu.my
CO-INVENTORS: SYAHRIZAL SALLEH, SITI ROSLINDAR YAZIZ, NOOR FADHILAH AHMAD RADI



Copyright: LY2024C01227

Product Background



- A Battery Electric Vehicle (BEV) relies on its onboard battery for propulsion, requiring periodic charging from the electric grid due to its large battery capacity.
- The variable and uncertain charging patterns of BEVs create substantial difficulties for the power grid by causing surges in peak power usage, fluctuations in frequency and voltage levels, and an overall increase in energy demand that needs to be carefully managed.



Methods

- Feature engineering to transform multivariate discrete start-stop BEV charging data to univariate continuous time series BEV
- The use of fixed origin training data window for Long Short-Term Memory model suitable for ML/DLs workflow for production use.

LSTM Model for forecasting BEV load power demand from charging behavior



Usefulness/ Applicability

- Accurate ultra-short-term forecasting is crucial for ensuring there is enough energy to meet peak demand, preventing financial losses and potential blackouts across the market.
- Statistical model developed able to predict the electricity demand from BEV at high accuracy.

Novelty/ Inventiveness

- Ready-to-use system
- BEV data transformation procedure
- Forecasting electricity demand using hybrid Box-Jenkins-Machine Learning

Marketability & Commercialization

Electricity utility providers can develop comprehensive ecosystem to fulfil the electricity demand from BEV
TNB, PERCOUA, Sarawak Energy, etc.

Status of Innovation

TRL – level 6

API Services

- Installation and setup
- Technical support
- Maintenance
- Hardware support
- Application support
- Warranty

Achievement/Award

- OTREX 2023
- OTREX 2024

Publication

1. Salleh, S., Zakaria, R., Yaziz, S.R. 2024. Enhancing BEV Charging Prediction Using LSTM Networks on Feature-Engineered 1-Minute Resolution Start-Stop Charging Data. *Jurnal Teknologi* (Scopus, under review)
2. Salleh, S., Zakaria, R., Yaziz, S.R. 2024. Battery Electric Vehicle Charging Load Forecasting Using LSTM on STL Trend, Seasonality and Residual Decomposition. *Springer* (Scopus, under review)
3. Salleh, S., Zakaria, R., Mansor, M.M. 2024. LSTM Model Performance Comparison Between Estimation of BEV Charging Electricity Load Demand and Its Reconstructed STL Time Series. *ICEM*, Springer (Scopus, under review)
4. Salleh, S., Zakaria, R., Yaziz, S.R. 2023. Forecasting Electricity Demand from Battery Electric Vehicles using Box-Jenkins Modeling. *EEE* (Scopus, under review)

Acknowledgement

UMPSPA Distinguished Research Grant: RDU233808
 International Matching Grant: UIC241582/RDU242702)

Environmental Impact/ SDGs



Collaboration



www.umpsa.edu.my

Menurutnya, peningkatan penggunaan kereta elektrik di Malaysia akan menyebabkan peningkatan keperluan tenaga elektrik yang perlu dijana oleh industri pengeluar elektrik seperti Tenaga Nasional

Berhad (TNB).

“Model peramalan permintaan elektrik yang tepat adalah amat perlu untuk mengelakkan permintaan melebihi keupayaan tenaga elektrik yang dijana.

“Kekurangan tenaga elektrik boleh menyebabkan gangguan bekalan elektrik dan memberi kesan kepada industri-industri lain dan seterusnya merencatkan pertumbuhan ekonomi negara.

“Keperluan kepada tenaga elektrik daripada pengecas persendirian adalah dinamik kerana bergantung kepada aktiviti pengguna seperti semasa musim perayaan, hari bekerja dan hujung minggu,” katanya.

Tambah beliau lagi, lokasi keperluan tenaga elektrik juga akan berubah bergantung kepada pergerakan kenderaan elektrik seperti model swarm.

“Infrastruktur sistem pembekalan tenaga elektrik di lokasi yang strategik perlu ditambah baik bagi memastikan bekalan elektrik adalah mencukupi,” ujarinya.

Malaysia adalah salah sebuah negara yang menandatangani *Paris Agreement (Paris Climate Accords)* pada tahun 2016 dengan objektif bagi mengehadkan peningkatan suhu global pada 1.5 Celsius semenjak era industrialisasi bermula (tahun 1800).

Pada tahun 2021, Persidangan *26th United Nations Climate Change Conference (COP26)* yang dikenali sebagai Glasgow Climate Pact iaitu majoriti ahli *United Nations Framework Convention on Climate Change (UNFCCC)* bersetuju untuk mengurangkan penggunaan arang batu dan bahan api berasaskan fosil untuk penjanaan tenaga elektrik dan beralih kepada teknologi hijau untuk menjana elektrik seperti teknologi solar dan angin.

Katanya, kini kita boleh berbangga apabila Malaysia sendiri telah menunjukkan komitmen dengan menggubal dasar untuk meningkatkan penggunaan kereta elektrik bagi mengurangkan pelepas gas karbon dioksida.

“Kereta elektrik bergantung kepada tenaga yang disimpan di dalam bateri untuk memacukan kereta tersebut.

“Sehubungan itu, perisian ini berupaya mengurangkan jurang di antara penjanaan dengan permintaan tenaga elektrik yang diperlukan.

“Seterusnya, ia dapat mengurangkan risiko gangguan bekalan elektrik dan mengoptimumkan kos operasi,” ujarinya.

Penyelidikan yang bermula pada tahun 2021 telah siap sepenuhnya pada awal tahun 2024 dengan menggunakan data daripada pengecas kereta elektrik persendirian yang diambil daripada penyelidikan bertajuk *My Electric Avenue* pada tahun 2017 di United Kingdom.

Menurut beliau, data yang dicerap perlu diubah kepada format siri masa yang boleh dimodelkan.

“Setelah itu, model statistik yang dihibrid dengan model pembelajaran mesin dibina untuk meramalkan penggunaan tenaga elektrik oleh kereta elektrik yang sedang dicas di pengecas persendirian bagi jangka masa beberapa minit ke hadapan (*ultra-short term load forecasting*).

“Perisian ini dapat meramalkan jumlah elektrik yang diperlukan dengan ketepatan yang tinggi pada 98.8 peratus.

“Bagi meluaskan lagi fungsi perisian ini, data pengecasan persendirian elektrik daripada pengeluar kereta elektrik seperti Perodua dan Proton diperlukan untuk meramal keperluan tenaga elektrik dengan tepat mengikut lokasi yang dinamik pada sesuatu masa dan kami juga telah mengadakan perbincangan awal dengan Perodua,” ujarnya.

Jelasnya, ini adalah kerana data pengecasan persendirian kereta elektrik yang diperoleh daripada Perodua atau Proton boleh dianalisis menggunakan perisian ini bagi memberi maklumat yang tepat kepada syarikat pembekal tenaga elektrik seperti TNB untuk merancang dan membangunkan infrastruktur yang sesuai dan mampan.

“Anggaran kos perisian adalah berdasarkan upah hari bekerja sebanyak RM2,000 sehari untuk seorang penyelidik bagi tempoh lima hingga sepuluh hari.

“Sebelum ini, saya pernah menghasilkan model pembelajaran mesin bagi meramal harga cili di Malaysia serta indikator ekonomi menggunakan model ekonometrik,” katanya.

Perisian ini pernah memenangi pingat perak dalam Pertandingan Reka Cipta, Kreatif dan Inovasi (CITREX) 2023 dan CITREX 2024, manakala dalam *35th International Invention, Innovation & Technology Competition & Exhibition, Malaysia (ITEX) 2024* yang berlangsung pada 16 hingga 17 Mei 2024 di Kuala Lumpur Convention Centre (KLCC), perisian ini menerima pingat emas.

Disediakan Oleh: Nur Hartini Mohd Hatta, Pusat Komunikasi Korporat

TAGS / KEYWORDS

[Prof. Madya Dr. Roslinazairimah hasilkan perisian ramal penggunaan elektrik bagi kereta elektrik](#)

[View PDF](#)