

Fluidized Wireless LED Reactor (Wastewater Treatment and Hydrogen Production)

Investigator: Mohd Bawad Saari PhD, Assoc. Prof.
FACULTY: Electrical and Electronic Engineering Technology
UNIVERSITY: Universiti Malaysia Perlis
ADDRESS: 01000 Kangar, Perlis, Malaysia
Phone: 601992340000
Email: mohd_bawad_sari@unimap.edu.my

Product Issue and Characteristics/Results
 Conventional photoreforming systems are affected by uneven variation of solar radiation and limited photon/light transfer efficiency. The product is efficient and sustainable artificial lighting solution, uniform light irradiation with minimum backlash, ease in upgrading and downscaling, and customizable spectral response and regulatable light radiation intensity.

Novelty, Originality/Inventiveness
 New approach in photoreforming technology, visible light active system with regulatable intensity, higher freedom in reactor design, easy scalability, and 22.7% PTE at 2 apparatus scale ratio.

Benefits/Usefulness/Applicability
 Improve reactor design freedom, photon transfer efficiency and reaction rates, photoreforming treatment of petrochemical wastewater, green energy production (hydrogen), photobioreaction process, mercury/hydrogen free and electromagnetic safe.

Status of Innovation
 First scale prototypes, TRL 6.

Achievement/Award
 CITREX Medal, 2023

OMTE 2024
 Malaysia Technology Expo

State of the Art Methods
 New method for reduced light source, new technology for wastewater treatment and hydrogen production, easily scalable with load requirement, optimal transmitter cell design for uniform irradiation and uniform light, broadband load feature with isolated field coil.

Marketability & Commercialization
 Wastewater treatment, sustainable energy production, photobioreactor.

Cost Analysis
 Based on reaction volume, cost: RM 25k (Complete 10L system), other devices: RM20k (Built UV-light 7 L reactor).

Publication
 Hydrogen production via photoreforming of wastewater under LED light-driven case: Cd@ZnO/nano-p-CdTe heterostructure, ChemSusTech, 10th June 2023, DOI: 10.1039/c3cy00011a, Improved wireless LED based light process for photobioreactors in a slurry reactor, Progress Energy Conversion, 10th June 2023, Mutual Inductance estimation for electrical coupling with multiple research cells, 2023 IEEE 14th International Conference on Signal Processing, 10th June 2023, Enhancing a Low-cost Coupled Inductive Wireless Power Transfer System for LED-Driven Bioreactors, Journal of Microwave Power and Distributed Energy, 10th June 2023, Under Review.

Collaboration/Industrial Partner
 UPM (Universiti Malaysia Perlis), Axiata (Telecommunications), UTM (Universiti Teknologi Malaysia), MAMPU (Menteri Kanan).

Block of Fund
 Trusmi Foundation, Yayasan Axiata, Yayasan Yayasan of Higher Education (YAYASAN HIGHER EDUCATION), UPM Research Grant, UPM Research Grant.

Environmental Impact/Sustainability Development Goals
 Fulfills SDGs 8 and 7, revolutionizes photoreforming approach in wastewater treatment, provides green energy production from wastewater (petrochemical).

Block of Fund
 Trusmi Foundation, Yayasan Axiata, Yayasan Yayasan of Higher Education (YAYASAN HIGHER EDUCATION), UPM Research Grant, UPM Research Grant.

www.unimap.edu.my





[General](#)

Associate Professor Dr. Mohd Mawardi uses LEDs to develop photocatalytic reactor as source of white light (photon)

17 September 2024

PEKAN, 25 June 2024 – Researcher and lecturer of the Faculty of Electrical and Electronic Engineering Technology (FTKEE), Universiti Malaysia Pahang Al-Sultan Abdullah (UMPSA), Associate Professor Dr. Mohd Mawardi Saari, 37 designed a photocatalytic reactor using LEDs as a source of white light (photons).

According to this Kelantan-born lad, the LEDs are powered by a wireless power transfer system and move freely within the reactor area to activate the photoreforming process by the photocatalyst.

“Through my research titled Fluidized Wireless LED Reactor (Wastewater Treatment and Hydrogen Production), this product works by converting DC electrical energy to AC at high frequencies using an inverter developed specifically for this project.

“This AC electrical energy is then transmitted to the transmitter coil on the outside of the reactor to uniformly convert electrical energy into magnetic energy within the reactor area.

“Then, through the concept of induction, this magnetic energy is received by the receiving coil and converted and returned to electrical energy to turn on the LEDs,” he said, who has a Doctorate (Engineering) from Okayama University, Japan.

Associate Professor Dr. Mohd Mawardi said these LEDs will then convert electrical energy into light (photons) to activate the photocatalyst for the photoreforming process.



“The five-year research, which began in 2018, was a spark of original ideas from a group of researchers led by the lecturer of the Faculty of Chemical and Process Engineering Technology (FTKPP), Professor Ir. Dr. Chin Sim Yee aimed to overcome problems in conventional photoreactors.

“Among the problems are the inconsistent dependence of the sunlight source and the weak penetration of light into the reactor when the light source is placed outside the reactor.

“These problems sparked the idea to use a light source inside the reactor and move freely to achieve a more even photoreforming process.

“Our group progressed from that point and was given the responsibility to produce a photoreactor based on these characteristics,” he said.

The research was conducted under a subproject of the 2018 TRGS Grant in collaboration with Professor Ir. Dr. Chin Sim Yee (FTK KP) and two PhD students, namely Zulkifly Aziz (FTK EE) and Thurga Devi Munusamy (FTK KP).

He further explained that the end goal of this product is to be one of the technologies that can be used for the water treatment process by petrochemical plants using photoreforming methods.

“At the same time, it helps the production of hydrogen.

“This is in line with the Sustainable Development Goals (SDG) 6 and 7 for water treatment innovation and producing clean energy.

“In fact, we will promote and open for any discussions and collaborations related to this product technology to the industry and research institutions,” he said, who specialises in the field of magnetic sensor instrumentation.

This research also involves collaboration between industries, namely UPC Chemicals (M) Sdn. Bhd., and technically on the instrument side, the collaboration is carried out with Adv. Electro Measurement Technology Laboratory, Okayama University in Japan.

“The estimated cost is around RM25,000.00 for 10 litres of reactor volume.

“In the future, we plan to expand the use of the concept of wireless energy transfer technology and hope that the products developed can be applied in industry and research institutions.

“Our research group at FTKEE also has expertise in the study and production of probes for nondestructive testing of iron components.

“In addition, our group has expertise in producing prototypes based on magnetic sensors and sensing instruments,” he said.

For the record, this research won a silver medal at the 2023 Creation, Innovation, Technology & Research Exposition (CITREX), a gold medal and also a Special Award from the Union of Arab Academia at the 2024 Malaysia Technology Expo (MTE).

By: Safriza Baharuddin, Centre for Corporate Communications

Translation by: Dr. Rozaimi Abu Samah, Faculty of Chemical and Process Engineering Technology

- 42 views

